

# WABER POWERLINE

## MASTER POWER CONTROL OUTLET BOXES



SIX "U" GROUND OUTLETS

ON-OFF  
SWITCH

FUSE OR  
PUSH-TO-RESET  
CIRCUIT BREAKER

BRIGHT  
PILOT  
LIGHT

TOUGH NEOPRENE  
CORD-SET

MOLDED PLUG

RATED AT  
15 AMPERES, 130 VOLTS  
CONTINUOUS DUTY

CONVENIENT  
MOUNTING EARS

STEEL CASE  
FINISHED IN  
SILVER GRAY  
TEXTURED HAMMERTONE

**IDEAL FOR PLANTS, LABS,  
SCHOOLS, INSTITUTIONS**

**WABER "INSTANT WIRING" MULTIPLIES YOUR AVAILABLE  
OUTLETS . . . QUICKLY . . . ECONOMICALLY . . . *Safely!***

Waber's "Instant Outlets" give you quick, safe, low-cost power placement wherever electrical power is used. These plug-in units are heavy-duty, industrial grade outlet boxes, completely safe (most models contain either fuse or circuit breaker), completely versatile (your choice of many special features, including new "series stringing" for multiple installations). Cut your wiring costs

- now. Order the Waber Power Outlet Boxes to fit your need. All standard units are rated at 15 amperes, 130 volts. Most also available in 20 ampere models. Custom units can be supplied to meet your specific requirements. Write or call us today if you have a need for an outlet box with variations from our standard line shown in this catalog.

**WABER ELECTRONICS INC., Hancock & Somerset Sts., Phila., Pa. 19133**

**PHONE: (215) NEBRASKA 4-3200**



# WABER MODELS 15 & 17 SERIES MASTER POWER CONTROLS

## FEATURES

- \* Panel mounted fuse or circuit breakers
- \* Tough neoprene cord-set
- \* Bright neon pilot light
- \* On-off switch
- \* UL approved components
- \* 12 3/4" mounting centers
- \* Size: 13 1/8 x 2 3/8 x 1 5/8"
- \* Rated 15 amperes, 130 volts continuous duty
- \* Steel case finished in silver gray textured hammertone

Master Control for "Series-stringing" Waber electrical outlet boxes. Seven "U" ground outlets including one jumper outlet on the end. (See illustration below).

|                                                     |           |
|-----------------------------------------------------|-----------|
| Model 15 (fuse, 6' cord-set) . . . . .              | 8.75 Net  |
| Model 15-15 (fuse, 15' cord-set) . . . . .          | 9.75 Net  |
| Model 15CB (crct. brkr., 6' cord-set) . . . . .     | 9.75 Net  |
| Model 15CB-15 (crct. brkr., 15' cord-set) . . . . . | 10.75 Net |


Nine heavy duty "U" ground outlets, including one on end for "series-stringing" use. This unit does not have off-on switch, pilot light, fuse, or circuit breaker. Designed primarily as a slave unit for Model 15, it can be used independently where outlets only are required, and built in fuse or circuit breaker protection is not needed.

|                                      |          |
|--------------------------------------|----------|
| Model 17 (6' cord-set) . . . . .     | 6.75 Net |
| Model 17-15 (15' cord-set) . . . . . | 7.75 Net |



# NEW!

A JUMPER  
OUTLET ON  
THE END



PLUG ONE BOX  
INTO ANOTHER  
  
**MULTIPLIES YOUR  
AVAILABLE OUTLETS .  
QUICKLY . . . ECONOMICALLY**

## WABER 30 SERIES TWO WIRE MASTER POWER CONTROLS

## FEATURES

- \* Panel mounted fuse or circuit breaker
- \* 4 On-off switches
- \* Tough 10' neoprene cord-set
- \* UL approved components
- \* 12 3/4" mounting centers
- \* Size: 13 1/8 x 2 3/8 x 1 5/8"
- \* Rated 15 amperes, 130 volts continuous duty
- \* Steel case finished in silver gray textured hammertone

|                                             |          |
|---------------------------------------------|----------|
| Model 30 (fuse type) . . . . .              | 5.95 Net |
| Model 30CB (circuit breaker type) . . . . . | 6.95 Net |

|                                                    |           |
|----------------------------------------------------|-----------|
| Model 32 (fuse, 6' cord-set) . . . . .             | 8.50 Net  |
| Model 32-15 (fuse, 15' cord-set) . . . . .         | 9.50 Net  |
| Model 32CB (crct. brkr., 6' cord-set) . . . . .    | 9.50 Net  |
| Model 32CB-15 (crct. brkr. 15' cord-set) . . . . . | 10.50 Net |



## WABER MODEL 32 SERIES "U" GROUND MASTER POWER CONTROL

## FEATURES

- \* Panel mounted fuse or circuit breaker
- \* Four on-off switches
- \* Tough neoprene cord-set
- \* UL approved components
- \* 12 3/4" mounting centers
- \* Size: 13 1/8 x 2 3/8 x 1 5/8"
- \* Rated 15 amperes, 130 volts continuous duty
- \* Steel case finished in silver gray textured hammertone





# POWER WHERE YOU WANT IT...WHEN YOU WANT IT WITH WABER *Pre-wired* BOXES

## WABER 24 SERIES "U" GROUND MASTER POWER CONTROL



FAT  
PHOEBE

## WABER MODEL 20 SERIES TWO WIRE OUTLET BOX



SKINNY  
MILTON

These two popular Waber Power-line models, with switch and pilot light, provide heavy duty outlets with fuse or circuit breaker protection.

|                                                       |           |
|-------------------------------------------------------|-----------|
| Model 20 (fuse type) . . . . .                        | 5.95 Net  |
| Model 20CB (circuit breaker type). . . . .            | 6.95 Net  |
| Model 24 (fuse, 6' cord-set) . . . . .                | 8.50 Net  |
| Model 24-15 (fuse, 15' cord-set) . . . . .            | 9.50 Net  |
| Model 24CB (crct. brkr., 6' cord-set) . . . . .       | 9.50 Net  |
| Model 24CB-15 (crct. brkr., 15 ft. cord-set). . . . . | 10.50 Net |

### FEATURES

- \* Panel mounted fuse or circuit breaker
- \* Bright neon pilot light
- \* On-off switch
- \* Tough neoprene cord-set
- \* UL approved components
- \* 12 3/4" mounting centers.  
Size: 13 1/8 x 2 3/8 x 1 5/8"
- \* Rated 15 amperes, 130 volts continuous duty
- \* Steel case finished in silver gray textured hammertone

### FEATURES

- \* Panel mounted fuse or circuit breaker
- \* On-off switch
- \* Bright pilot light
- \* Tough 10' neoprene cord-set
- \* UL approved components
- \* 12 3/4" mounting centers  
Size: 13 1/8 x 2 3/8 x 1 5/8"
- \* Rated 15 amperes, 130 volts continuous duty
- \* Steel case finished in silver gray textured hammertone

COMPLETE WITH  
COLOR CODED  
SWITCH-OUTLET  
SETS  
AND CENTER  
"WRITE-ON"  
STRIP  
FOR  
IMMEDIATE  
IDENTIFICATION

## DE LUXE MODELS



WABER  
"25" SERIES  
MASTER POWER  
CONTROL CENTER



WABER  
"35" SERIES  
MASTER POWER  
CONTROL CENTER

Waber Deluxe models feature individual color coded switching and an overall master switch, pilot light, and center "write-on" strip

|                                                    |           |
|----------------------------------------------------|-----------|
| Model 25 (fuse, 6' cord-set). . . . .              | 15.50 Net |
| Model 25-15 (fuse, 15' cord-set). . . . .          | 16.50 Net |
| Model 25CB (crct. brkr., 6' cord-set) . . . . .    | 16.50 Net |
| Model 25CB-15 (crct. brkr., 15' cord-set). . . . . | 17.50 Net |
| Model 35 (fuse type) . . . . .                     | 13.50 Net |
| Model 35CB (circuit breaker type). . . . .         | 14.50 Net |

### FEATURES

- \* Panel mounted fuse or circuit breaker
- \* Bright neon pilot light
- \* Master on-off switch plus 7 on-off switches
- \* Tough neoprene, 10 ft. cord-set
- \* UL approved components
- \* 12 3/4" mounting centers  
Size: 13 1/8 x 4 3/4 x 1 5/8"
- \* Rated at 15 amperes, 130 volts continuous duty
- \* Steel case finished in silver gray textured hammertone

### FEATURES

- \* Panel mounted fuse or circuit breaker
- \* Bright neon pilot light
- \* Master on-off switch plus 7 on-off switches
- \* Tough neoprene cord-set
- \* UL approved components
- \* 12 3/4" mounting centers  
Size: 13 1/8 x 4 3/4 x 1 5/8"
- \* Rated at 15 amperes, 130 volts continuous duty
- \* Steel case finished in silver gray textured hammertone



# NEW! WABER GIANT 4 FT. HEAVY DUTY 0

TOUGH NEOPRENE CORD SET \* BRIGHT NEON PILOT LIGHT \* ON-OFF SWITCH \* UL APPROVED COMPONENTS \* STEEL CASE FINISHED IN SILVER GRAY TEXTURED HAMMERTONE \* RATED AT 15 AMPERES, 130 VOLTS CONTINUOUS DUTY \* MOUNTING CENTERS 48 3/4" \* SIZE: 49 X 2 X 1 1/2" \* FUSE OR PUSH TO RESET CIRCUIT BREAKER AVAILABLE IN MOST MODELS

## WABER MODEL 700 SERIES, 8 U GROUND OUTLETS ON-OFF SWITCH, BRIGHT PILOT LIGHT

|                                                      |           |
|------------------------------------------------------|-----------|
| Model 700 (fuse, 6' cord-set) . . . . .              | 14.95 Net |
| Model 700-15 (fuse, 15' cord-set) . . . . .          | 15.95 Net |
| Model 700CB (crct. brkr., 6' cord-set) . . . . .     | 15.95 Net |
| Model 700CB-15 (crct. brkr., 15' cord-set) . . . . . | 16.95 Net |

## WABER MODEL 705 SERIES, 15 U GROUND OUTLETS ON-OFF SWITCH, BRIGHT PILOT LIGHT

|                                                      |           |
|------------------------------------------------------|-----------|
| Model 705 (fuse, 6' cord-set) . . . . .              | 18.95 Net |
| Model 705-15 (fuse, 15' cord-set) . . . . .          | 19.95 Net |
| Model 705CB (crct. brkr., 6' cord-set) . . . . .     | 19.95 Net |
| Model 705CB-15 (crct. brkr., 15' cord-set) . . . . . | 20.95 Net |

## WABER MODEL 707 SERIES, 14 U GROUND OUTLETS ON-OFF SWITCH, BRIGHT PILOT LIGHT

|                                                      |           |
|------------------------------------------------------|-----------|
| Model 707 (fuse, 6' cord-set) . . . . .              | 15.75 Net |
| Model 707-15 (fuse, 15' cord-set) . . . . .          | 16.75 Net |
| Model 707CB (crct. brkr., 6' cord-set) . . . . .     | 16.75 Net |
| Model 707CB-15 (crct. brkr., 15' cord-set) . . . . . | 17.75 Net |

## WABER MODEL 710 SERIES, 8 U GRD. OUTLETS ONLY

|                                       |           |
|---------------------------------------|-----------|
| Model 710 (6' cord-set) . . . . .     | 12.95 Net |
| Model 710-15 (15' cord-set) . . . . . | 13.95 Net |

## WABER MODEL 711 SERIES, 14 U GRD. OUTLETS ONLY

|                                       |           |
|---------------------------------------|-----------|
| Model 711 (6' cord-set) . . . . .     | 13.95 Net |
| Model 711-15 (15' cord-set) . . . . . | 14.95 Net |

## WABER MODEL 715 SERIES, 15 U GRD. OUTLETS ONLY

|                                       |           |
|---------------------------------------|-----------|
| Model 715 (6' cord-set) . . . . .     | 16.95 Net |
| Model 715-15 (15' cord-set) . . . . . | 17.95 Net |

## WABER MODEL 720 SERIES, 14 LOCKING TYPE OUTLETS, ON-OFF SWITCH BRIGHT PILOT LIGHT

|                                                      |           |
|------------------------------------------------------|-----------|
| Model 720 (fuse, 6' cord-set) . . . . .              | 32.95 Net |
| Model 720-15 (fuse, 15' cord-set) . . . . .          | 33.95 Net |
| Model 720CB (crct. brkr., 6' cord-set) . . . . .     | 33.95 Net |
| Model 720CB-15 (crct. brkr., 15' cord-set) . . . . . | 34.95 Net |

## WABER MODEL 725 SERIES, 14 LOCKING TYPE OUTLETS ONLY

|                                       |           |
|---------------------------------------|-----------|
| Model 725 (6' cord-set) . . . . .     | 31.95 Net |
| Model 725-15 (15' cord-set) . . . . . | 32.95 Net |

## WABER MODEL 730 SERIES, 14 CROW'S FOOT OUTLETS, ON-OFF SWITCH, BRIGHT PILOT LIGHT


|                                                      |           |
|------------------------------------------------------|-----------|
| Model 730 (fuse, 6' cord-set) . . . . .              | 32.95 Net |
| Model 730-15 (fuse, 15' cord-set) . . . . .          | 33.95 Net |
| Model 730CB (crct. brkr., 6' cord-set) . . . . .     | 33.95 Net |
| Model 730CB-15 (crct. brkr., 15' cord-set) . . . . . | 34.95 Net |

## WABER MODEL 735 SERIES, 14 CROW'S FOOT OUTLETS ONLY

|                                       |           |
|---------------------------------------|-----------|
| Model 735 (6' cord-set) . . . . .     | 31.95 Net |
| Model 735-15 (15' cord-set) . . . . . | 32.95 Net |



PHILA. 33, PA.



700

705

707

710

711

Models 730 and 735 not illustrated (same as Model



# OUTLET BOXES

"LONG JOHN" SERIES

## NEW WABER "STRING BEAN" SERIES

### SPACE-SAVER SIZE IN A STURDY STEEL CASE

#### COMPLETELY WIRED FOR INSTANT USE

THESE FOUR FOOT BEAUTIES!  
ONLY ONE AND ONE EIGHTH INCH DEEP,  
ONLY ONE AND ONE HALF INCH WIDE!

These new Waber "String-Bean" models occupy a minimum of space, yet are sturdily made to meet the heavy duty needs of the laboratory or industrial plant. Waber "String-Bean" units are of heavy duty steel construction to provide many years of useful service in rack cabinets, on workbenches, and in production and testing. They are fully wired, ready to plug-in for instant use.

Choose the unit you need from the many shown here. If a special modification would suit your needs better, let us design a unit for your specific application.

TOUGH NEOPRENE CORD SET \* BRIGHT NEON PILOT LIGHT \* ON-OFF SWITCH \* UL APPROVED COMPONENTS \* STEEL CASE FINISHED IN SILVER GRAY TEXTURED HAMMERTONE \* RATED AT 15 AMPERES, 130 VOLTS CONTINUOUS DUTY \* MOUNTING CENTERS 48 3/4" \* SIZE: 49 X 1 1/2 X 1 1/8" \* FUSE OR CIRCUIT BREAKER AVAILABLE IN MOST MODELS

MODEL 1000 SERIES, 12 "U" GROUND OUTLETS, BRIGHT PILOT LIGHT, ON-OFF SWITCH

|                                            |           |
|--------------------------------------------|-----------|
| Model 1000 (fuse, 6' cord-set)             | 17.95 Net |
| Model 1000-15 (fuse, 15' cord-set)         | 18.95 Net |
| Model 1000CB (crct. brkr., 6' cord-set)    | 18.95 Net |
| Model 1000CB-15 (crct. brkr. 15' cord-set) | 19.95 Net |

MODEL 1001 SERIES, 12 "U" GROUND OUTLETS, FUSE OR CIRCUIT BREAKER


|                                             |           |
|---------------------------------------------|-----------|
| Model 1001 (fuse, 6' cord-set)              | 16.95 Net |
| Model 1001-15 (fuse, 15' cord-set)          | 17.95 Net |
| Model 1001CB (crct. brkr., 6' cord-set)     | 17.95 Net |
| Model 1001-CB-15 (crct. brkr. 15' cord-set) | 18.95 Net |

MODEL 1002 SERIES, 12 "U" GROUND OUTLETS ONLY

|                              |           |
|------------------------------|-----------|
| Model 1002 (6' cord-set)     | 15.95 Net |
| Model 1002-15 (15' cord-set) | 16.95 Net |

MODEL 1010 SERIES, MASTER ON-OFF SWITCH, PILOT LIGHT, AND 8 SETS OF "U" GROUND OUTLETS, PILOT LIGHTS, AND ON-OFF SWITCHES

|                                             |           |
|---------------------------------------------|-----------|
| Model 1010 (fuse, 6' cord-set)              | 25.95 Net |
| Model 1010-15 (fuse, 15' cord-set)          | 26.95 Net |
| Model 1010CB (crct. brkr., 6' cord-set)     | 26.95 Net |
| Model 1010CB-15 (crct. brkr., 15' cord-set) | 27.95 Net |



715

720

725

ls 720 and 725)



1000


1001

1010




ON-OFF SWITCH \* BRIGHT PILOT LIGHT \* TOUGH NEOPRENE CORD SET \* UL APPROVED COMPONENTS \* RATED AT 15 AMPERES, 130 VOLTS CONTINUOUS DUTY \* STEEL CASE FINISHED IN SILVER GRAY TEXTURED HAMMERTONE \* YOUR CHOICE OF FUSE OR PUSH TO RESET CIRCUIT BREAKER \* 12 7/8 X 2 7/8" MOUNTING CENTERS \* SIZE 13 1/4 X 4 1/4 X 1 1/2"

## WABER POWERLINE DUPLEX "800" SERIES MASTER POWER CONTROL CENTER




MODEL 801 SERIES, LOCKING TYPE OUTLETS

|                                                      |           |
|------------------------------------------------------|-----------|
| Model 801 (fuse, 6' cord-set) . . . . .              | 29.95 Net |
| Model 801-15 (fuse, 15' cord-set) . . . . .          | 30.95 Net |
| Model 801CB (crct. brkr., 6' cord-set) . . . . .     | 30.95 Net |
| Model 801CB-15 (crct. brkr., 15' cord-set) . . . . . | 31.95 Net |



MODEL 800 SERIES, "U" GROUND OUTLETS

|                                                      |           |
|------------------------------------------------------|-----------|
| Model 800 (fuse, 6' cord-set) . . . . .              | 13.50 Net |
| Model 800-15 (fuse, 15' cord-set) . . . . .          | 14.50 Net |
| Model 800CB (crct. brkr., 6' cord-set) . . . . .     | 14.50 Net |
| Model 800CB-15 (crct. brkr., 15' cord-set) . . . . . | 15.50 Net |




MODEL 802 SERIES, CROW'S FOOT TYPE OUTLETS

|                                                      |           |
|------------------------------------------------------|-----------|
| Model 802 (fuse, 6' cord-set) . . . . .              | 34.95 Net |
| Model 802-15 (fuse, 15' cord-set) . . . . .          | 35.95 Net |
| Model 802CB (crct. brkr., 6' cord-set) . . . . .     | 35.95 Net |
| Model 802CB-15 (crct. brkr., 15' cord-set) . . . . . | 36.95 Net |

ON-OFF SWITCH \* BRIGHT PILOT LIGHT \* TOUGH NEOPRENE CORD SET \* UL APPROVED COMPONENTS \* RATED AT 15 AMPERES, 130 VOLTS CONTINUOUS DUTY \* STEEL CASE FINISHED IN SILVER GRAY TEXTURED HAMMERTONE \* YOUR CHOICE OF FUSE OR PUSH TO RESET CIRCUIT BREAKER \* 8 1/4" MOUNTING CENTERS \* SIZE: 8 5/8 X 2 1/4 X 1 1/2"

## "Compacts" SPACE SAVER MODELS


### WABER 602 SERIES ELECTRICAL OUTLET BOX



MODEL 602 SERIES, 5 "U" GROUND OUTLETS ONLY

|                                       |          |
|---------------------------------------|----------|
| Model 602 (6' cord-set) . . . . .     | 4.80 Net |
| Model 602-15 (15' cord-set) . . . . . | 5.80 Net |

### WABER 603 SERIES MASTER POWER CONTROL



MODEL 603 SERIES, 4 "U" GROUND OUTLETS, FUSE OR PUSH TO RESET CIRCUIT BREAKER

|                                                      |          |
|------------------------------------------------------|----------|
| Model 603 (fuse, 6' cord-set) . . . . .              | 5.25 Net |
| Model 603-15 (fuse, 15' cord-set) . . . . .          | 6.25 Net |
| Model 603CB (crct. brkr., 6' cord-set) . . . . .     | 6.25 Net |
| Model 603CB-15 (crct. brkr., 15' cord-set) . . . . . | 7.25 Net |

### NEED A SPECIAL ?

Waber can supply you with the outlet box you need, quickly . . . economically!

\* Steel case finished in textured hammertone



# NEW! WABER "POWER POINTER" MASTER POWER CONTROL BOXES WITH BRIGHT PILOT LIGHT ON EACH COLORED CODED SWITCH-OUTLET SET




## WABER SERIES 25P

Same Specifications  
As Model 25 on Page 3  
Except For Individual  
Pilot Lights

|                                                      |           |
|------------------------------------------------------|-----------|
| Model 25P (fuse, 6' cord-set) . . . . .              | 19.50 Net |
| Model 25P-15 (fuse, 15' cord-set) . . . . .          | 20.50 Net |
| Model 25PCB (crct. brkr., 6' cord-set) . . . . .     | 20.50 Net |
| Model 25PCB-15 (crct. brkr., 15' cord-set) . . . . . | 21.50 Net |

|                                                   |           |
|---------------------------------------------------|-----------|
| Model 35P (fuse, 10' cord-set) . . . . .          | 17.50 Net |
| Model 35PCB (crct. brkr., 10' cord-set) . . . . . | 18.50 Net |



## WABER SERIES 35P

Same Specifications  
As Model 35 On Page 3  
Except For Individual  
Pilot Lights



## WABER SERIES 32P

Same Specifications  
As Model 32 On Page 2  
Except For Individual  
Indicator Lights

|                                                      |           |
|------------------------------------------------------|-----------|
| Model 32P (fuse, 6' cord-set) . . . . .              | 10.50 Net |
| Model 32P-15 (fuse, 15' cord-set) . . . . .          | 11.50 Net |
| Model 32PCB (crct. brkr., 6' cord-set) . . . . .     | 11.50 Net |
| Model 32PCB-15 (crct. brkr., 15' cord-set) . . . . . | 12.50 Net |

|                                                   |          |
|---------------------------------------------------|----------|
| Model 30P (fuse, 10' cord-set) . . . . .          | 7.50 Net |
| Model 30PCB (crct. brkr., 10' cord-set) . . . . . | 8.50 Net |



## WABER SERIES 30P

Same Specifications  
As Model 30 On Page 2  
Except For Individual  
Pilot Lights

# LOW PRICED COMPACTS COMPLETELY WIRED, READY TO USE

## WABER MODEL 605 SERIES MASTER POWER CONTROL



MODEL 605 SERIES, 3 "U" GROUND OUTLETS, PILOT LIGHT, ON-OFF SWITCH, FUSE OR PUSH TO RESET CIRCUIT BREAKER

|                                                      |          |
|------------------------------------------------------|----------|
| Model 605 (fuse, 6' cord-set) . . . . .              | 5.95 Net |
| Model 605-15 (fuse, 15' cord-set) . . . . .          | 6.95 Net |
| Model 605CB (crct. brkr., 6' cord-set) . . . . .     | 6.95 Net |
| Model 605CB-15 (crct. brkr., 15' cord-set) . . . . . | 7.95 Net |

## WABER MODEL 606 SERIES MASTER POWER CONTROL



MODEL 606 SERIES, 2 SETS (SWITCH, PILOT LIGHT, OUTLET), FUSE OR PUSH TO RESET CIRCUIT BREAKER

|                                                      |          |
|------------------------------------------------------|----------|
| Model 606 (fuse, 6' cord-set) . . . . .              | 6.75 Net |
| Model 606-15 (fuse, 15' cord-set) . . . . .          | 7.75 Net |
| Model 606CB (crct. brkr., 6' cord-set) . . . . .     | 7.75 Net |
| Model 606CB-15 (crct. brkr., 15' cord-set) . . . . . | 8.75 Net |



# WABER RACK MOUNTS

"900" SERIES

## MASTER POWER CONTROLS

STANDARD 3 1/2" X 19" UNITS MADE TO BE MOUNTED ON A RACK PANEL FOR REMOTE CONTROL OF OTHER WABER POWER OUTLET BOXES MOUNTED INSIDE THE RACK CABINET, OR FOR SUPPLYING POWER TO COMPONENTS IN THE CABINET

MODEL 900 SERIES, ON-OFF SWITCH, PILOT LIGHT, FUSE OR PUSH TO RESET CIRCUIT BREAKER, AND SIX "U" GROUND OUTLETS

|                                                      |           |
|------------------------------------------------------|-----------|
| Model 900 (fuse, 6' cord-set) . . . . .              | 10.95 Net |
| Model 900-15 (fuse, 15' cord-set) . . . . .          | 11.95 Net |
| Model 900CB (crct. brkr., 6' cord-set) . . . . .     | 11.95 Net |
| Model 900CB-15 (crct. brkr., 15' cord-set) . . . . . | 12.95 Net |

MODEL 904 SERIES, ON-OFF SWITCH, PILOT LIGHT, FUSE OR PUSH TO RESET CIRCUIT BREAKER, AND SIX "U" GROUND OUTLETS, 2 IN FRONT 4 IN BACK

|                                                      |           |
|------------------------------------------------------|-----------|
| Model 904 (fuse, 6' cord-set) . . . . .              | 12.95 Net |
| Model 904-15 (fuse, 15' cord-set) . . . . .          | 13.95 Net |
| Model 904CB (crct. brkr., 6' cord-set) . . . . .     | 13.95 Net |
| Model 904CB-15 (15' cord-set, crct. brkr.) . . . . . | 14.95 Net |

MODEL 905 SERIES, ON-OFF SWITCH, PILOT LIGHT, FUSE OR PUSH TO RESET CIRCUIT BREAKER, AND SIX LOCKING TYPE OUTLETS, 2 IN FRONT AND 4 IN BACK OF PANEL


|                                                      |           |
|------------------------------------------------------|-----------|
| Model 905 (fuse, 6' cord-set) . . . . .              | 23.95 Net |
| Model 905-15 (fuse, 15' cord-set) . . . . .          | 24.95 Net |
| Model 905CB (crct. brkr., 6' cord-set) . . . . .     | 24.95 Net |
| Model 905CB-15 (crct. brkr., 15' cord-set) . . . . . | 25.95 Net |

MODEL 906 SERIES, ON-OFF SWITCH, PILOT LIGHT, FUSE OR PUSH TO RESET CIRCUIT BREAKER, AND SIX CROW'S FOOT OUTLETS, 2 IN FRONT 4 IN BACK

|                                                      |           |
|------------------------------------------------------|-----------|
| Model 906 (fuse, 6' cord-set) . . . . .              | 24.95 Net |
| Model 906-15 (fuse, 15' cord-set) . . . . .          | 25.95 Net |
| Model 906CB (crct. brkr., 6' cord-set) . . . . .     | 25.95 Net |
| Model 906CB-15 (crct. brkr., 15' cord-set) . . . . . | 26.95 Net |



Waber Model 900 has six "U" ground outlets controlled by an on-off switch, with a pilot light, and fuse or circuit breaker. The 6 or 15 foot cord-set is of tough, durable neoprene.



Waber Models 904, 905, and 906 Rack Power Mounts have two outlets on the front and four outlets mounted on the rear of the panel. This provides an excellent source of power for equipment mounted in the rack. Control is from the front with the convenience of a pilot light, on-off switch, and fuse or circuit breaker for protection.

Model 904 is fitted with "U" ground type outlets, Model 905 with twist locking type, and Model 906 crow's foot.

DUST AND SAFETY COVER  
FOR THE MODEL 900 SERIES 3.00 net

WABER ELECTRONICS INC.  
Hancock & Somerset Sts.  
Philadelphia, Pa. 19133



POWER TAPS & OUTLET BOXES

Please Note Our New Address

WABER ELECTRONICS INC.

2000 NORTH SECOND ST.

PHILADELPHIA, PA. 19122

123  
VARIETIES  
WABER  
POWERLINE  
"INSTANT  
WIRING"  
MASTER  
POWER  
CONTROLS

Mr. T. Nelson  
Interlocking Sys. Co.  
Box 1546  
Poughkeepsie, N. Y. EL. PRO

BULK RATE  
U. S. POSTAGE  
PAID

Permit No. 2192  
Philadelphia, Pa.

